# Ecophon Hygiene Advance™ Wall

Ecophon Hygiene Advance<sup>TM</sup> Wall is a wall panel that withstands daily advanced cleaning and disinfection with strong chemicals. Suitable for the most demanding conditions, including airborne grease and dirt particles.



#### SYSTEM RANGE



Size, mm	
	1200x600
Special Fixing	•
Thickness (THK)	40
Inst. Diagr.	M258









Hygiene Advance Wall C3 system

Connect Wall Fixing C3


### ۸.

#### Acoustic

#### **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



···· Hygiene Advance Wall, 80 mm o.d.s. o.d.s = overall depth of system

Frequency Hz

THK	o.d.s. mm	$lpha_{p}$ , Practical sound absorption coefficient					$\alpha_{\scriptscriptstyle{W}}$	Sound absorption class	
mm	125 Hz 250 Hz 500 Hz 1000 Hz 2000 Hz 4000 Hz		Sound absorption class						
40	80	0.25	0.75	0.90	0.95	0.90	0.65	0.85	В



#### **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC Gold
French VOC	A+
Finnish M1	•









#### **Environmental Footprint**

kg CO<sub>2</sub> equiv/m<sup>2</sup>

Advance Wall

Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804



#### Circularity

Minimum post-consumer recycled content	64%
Recyclability	Fully recyclable



#### Fire safety

Country		Class	The glass wool core of the tiles is tested and classified
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



#### **Humidity Resistance**

Class C, relative humidity 95% and 30  $^{\circ}$  C, according to EN 13964:2014

#### Visual appearance



White 141, nearest NCS colour sample S 1000-N, 73% light reflectance.



#### Cleanability

Daily dusting, vacuum cleaning and wet wiping.



#### **Advanced Cleanability**

High and low pressure cleaning with water and steam cleaning. Withstand use of hydrogen peroxide vapor and compatible with UV-C disinfection, BIFMA HCF 8.1-2019.



#### Chemical resistance/Disinfection

Chemical	Concentration
Formalin	37%
Ammoniac	25%
Hydrogen peroxide	30%
Sulfuric acid	5%
Phosphoric acid	30%
Peracetic acid	15%
Hydrochloric acid	5%
Isopropanol	100%
Sodium hydroxide	5%
Sodium hypochlorite	5%

Tested according to ISO 2812-1 and classified according to ISO 4628-1 with excellent result for the following chemicals.



#### **Mould and Bacterial Resistance**

Standard/Method	
ISO 846 A	1
ISO 846 C	0



#### **Clean Room**

	Class	
ISO 14644	Particle cleanliness class	ISO 3
NF S 90-351	Microbiological class	M1/area 4
NF S 90-351	Particle elimination kinetics	CP(0,5) 1

## Accessibility



The tiles are demountable.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.

#### System weight



The weight of the system (including profile system) should be approximately 3 kg/pcs.




#### **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.

# $\epsilon$

#### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

#### QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm
		1200×600
1	Hygiene Advance Wall	1,4/m²
2	Connect Wall Fixing C3, vertical installation	2/panel
3	Connect Wall Fixing C3, horisontal installation	4/panel
4	Wall screw, A2 material (not supplied by Ecophon)	2/wall fixing
	$\Delta$ Min. overall depth of system: 90 mm	



See Quantity Specification



Installation with wall screw in stainless steel (A2) material



Horisontal installation of Advance Wall  $\operatorname{C3}$ 



Live load/load bearing capacity